HellermannTyton

Specification Sheet

Part Number: MK9BLADEKIT



Service Kit for the MK9 tool. Includes replacement blade, screw for nosepiece, and instruction card

Article Number	110-00220
Туре	MK9BLADEKIT
Features & Benefits	 An easy to read display speeds adjustment and verification. – Thumb tab on larger tension knob for easy adjustment. – On the Mark 7, a larger knob sets the three variable tension levels (minimum, intermediate, and standard). The smaller knob fine tunes within the tension range. – The larger knob on the Mark 9 sets to two variable tension levels (standard and heavy). The smaller knob fine tunes the tension setting. – Housings are manufactured from a high impact, glass reinforced nylon. – A double wall linkage adds more strength. – Tough chromium steel components ensure longevity. – MK7 & MK9 are military specified. – Single and dual lock-out features available for tensioning ranges. – Cable tie tension and cut-off tools reduce operator fatigue and speed assembly. – The Mark 7 features a one inch stroke, while the Mark 9 has a 5/8 inch stroke. Both reduce trigger cycles required to install cable ties. – Ergonomic design on both tools ideally fit the operator's hand. Removable padded hand grips further reduce impact to the hand. – Low friction bearing mechanisms reduce hand effort and provide a smooth stroke. – Extremely light, the Mark 7 weighs only 10 ounces. The Mark 9 weighs just 13 ounces. – Quick tension adjustability for flush cut-off.

Product Description	Specifically developed for maximum ergonomic and performance values, the Mark 7 and Mark 9 series tools combine reduced hand effort and durable
	components to ensure efficient assembly and a longer life cycle. The Mark 7 tools are used with T18 through T50 series HellermannTyton cable ties. The Mark 9 tools can be used with nearly every HellermannTyton cable tie. Able to accommodate ties to .530" in width, the Mark 9 is used with HellermannTyton's T18* series cable ties to the heavy duty ties, including the T250 series and EL-TY. High tension versions of both the Mark 9 and Mark 7 tools (MK9HT and MK7HT) offer the same design features as their standard counterparts but with higher cut-off tension capabilities. The Mark 9 and Mark 7 high tension tools both offer a 5/8" stroke.
Short Description	Service Kit for the MK9 tool. Includes replacement blade, screw for nosepiece, and instruction card
Global Part Name	MK9BLADEKIT
Technical Description	Service Kit for the MK9 Tool includes replacement blade, screw for nose piece, and instructional card.
Tension Setting Tools	Adjustable
ROHS Complaint	Yes
Package Quantity(Imperial)	1
Package Quantity (Metric)	1
Customs Number	8205599000
Content Unit(BMEcat)	pcs.

 $\ensuremath{\mathbb{C}}$ 2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions